AMENDMENTS TO THE CLAIMS

- 1. (Withdrawn) Composition of matter comprising fullerenes having a molecular weight less than that of C_{60} with the exception of C_{36} .
- 2. (Withdrawn) Composition of matter comprising fullerene C₅₀.
- 3. (Withdrawn) Composition of matter comprising fullerene C₅₈.
- 4. (Withdrawn) Composition of matter comprising fullerene C₁₃₀.
- 5. (Withdrawn) Composition of matter comprising fullerene C₁₇₆.
- 6. (Withdrawn) Isolated fullerene C₅₀.
- 7. (Withdrawn) Isolated fullerene C₅₈.
- 8. (Withdrawn) Isolated fullerene C₁₃₀.
- 9. (Withdrawn) Isolated fullerene C₁₇₆.
- 10. (Currently amended) Fullerenic structure A product comprising fullerenes chemically bonded to a surface of a bulk carbon material wherein the average surface area concentration of fullerenes is greater than about 300 molecules per square micron.
- 11. (Currently amended) The <u>fullerenic structure product</u> of claim 10 wherein the <u>fullerenic structure is fullerenes are selected from the group consisting of C_{50} , C_{58} , C_{60} , C_{130} , and, C_{176} , or any combination thereof.</u>
- 12. (Currently amended) The fullerenic structure product of claim 11 wherein the bulk carbon material comprises fullerene C_{60} is chemically bonded to carbon black particles.

- 13. (Currently amended) The fullerenic structure product of claim 12 wherein the fullerenes C_{60} is are each chemically bonded to carbon black by a carbon atom bridged to two carbon atoms of the fullerene and two carbon atoms of a carbon black particle.
- 14. (Withdrawn) Method for tethering a fullerene to a carbon material comprising: adding functionalized fullerene to a liquid suspension containing carbon material; drying the suspension to produce a powder; and heat treating the powder.
- 15. (Withdrawn) The method of claim 14 wherein the functionalized fullerene is dichloromethano [60] fullerene.
- 16. (Withdrawn) The method of claim 14 wherein the functionalized fullerene is dibromomethano [60] fullerene.
- 17. (Withdrawn) The method of claim 14 further including sealing the powder in a tube filled with an inert gas.
- 18. (Withdrawn) The method of claim 17 wherein the tube is heat treated in a furnace.
- 19. (Withdrawn) The method of claim 18 wherein the tube is heat treated at approximately 400°C for 4.5 hours.
- 20. (Withdrawn) The method of claim 14 wherein the carbon material is a fullerene.
- 21. (Withdrawn) The method of claim 14 wherein the carbon material is a fullerene derivative.
- 22. (Withdrawn) The method of claim 21 wherein the fullerene derivative includes an endohedral fullerene.

- 23. (Withdrawn) The method of claim 21 wherein the fullerene derivative includes a metallized fullerene.
- 24. (Withdrawn) The method of claim 14 wherein the carbon material is a fullerenic nanostructure including single-walled and multi-walled carbon nanotubes.
- 25. (Withdrawn) The method of claim 14 wherein the carbon material is a nested or onion structure.
- 26. (Withdrawn) The method of claim 14 wherein the carbon material is spheroidal, ellipsoidal, trigonous-shaped fullerenic structures.
- 27. (Withdrawn) The method of claim 14 wherein the carbon material comprises single and multi-layered open cage structures having a range of radii of curvature.
- 28. (Withdrawn) The method of claim 14 wherein the carbon material is fullerenic soot.
- 29. (Withdrawn) The method of claim 14 wherein the carbon material is fullerenic black.
- 30. (Withdrawn) The method of claim 14 wherein the carbon material is graphitic carbon.
- 31. (Withdrawn) The method of claim 14 wherein the carbon material is diamond.
- 32. (Withdrawn) The method of claim 14 wherein the carbon material is diamond-like carbon.
- 33. (Withdrawn) The method of claim 14 wherein the carbon material is amorphous carbon.
- 34. (Withdrawn) The method of claim 14 wherein the functionalized fullerene contains a functional group selected to give the functionalized fullerene and a surface of the material to which it is tethered a desired property.

35. (Withdrawn) The method of claim 34 wherein the desired property is selected from the group consisting of acidic, basic, hydrophilic, hydrophobic, oxidizing, reducing, radical, metallic, electrical, magnetic, structural, chemical, biological, or physical properties.

36. (Withdrawn) The method of claim 14 further including use of chemical chains selected to achieve a desired tethered length.

37. (Withdrawn) The method of claim 14 further including use of chemical structures selected to achieve a desired tether stiffness.

38. (Withdrawn) The method of claim **37** wherein the chemical structures comprise alkane, alkene, alkyne, fused or cross-linked aromatic.

39. (Withdrawn) The method of claim 14 further including chemical structures selected to achieve a desired electrical conductivity.

40. (Withdrawn) Single-walled carbon nanotube having a diameter less than that of C_{60} and not associated with a three-dimensional support matrix.

41. (New) The product of claim 10 wherein the fullerenes are each chemically bonded to the bulk carbon material by a carbon atom bridged to two carbon atoms of the fullerene and two carbon atoms of the bulk carbon material.

42. (New) The product of claim **10**, wherein the size of the bulk carbon material is greater than about 10 nanometers.

43. (New) The product of claim **10**, wherein the size of the bulk carbon material is greater than about 50 nanometers.

44. (New) The product of claim **10**, wherein the size of the bulk carbon material is greater than about 100 nanometers.

45. (New) The product of claim 10, wherein the chemically bound fullerenes are derived from

functionalized fullerenes.

46. (New) The product of claim 10, wherein the chemically bound fullerenes are derived from

dichloromethano[60]fullerene.

47. (New) The product of claim 10, wherein the average surface area concentration is greater

than about 500 molecules per square micron.

48. (New) The product of claim 10, wherein the average surface area concentration is greater

than about 1000 molecules per square micron.

49. (New) The product of claim 10, wherein the average surface area concentration is greater

than about 2000 molecules per square micron.

50. (New) The product of claim 10, wherein the average surface area concentration is greater

than about 5000 molecules per square micron.

51. (New) The product of claim 12, wherein the size of the carbon black particle is greater than

about 10 nanometers.

52. (New) The product of claim 12, wherein the size of the carbon black particle is greater than

about 50 nanometers.

53. (New) The product of claim 12, wherein the size of the carbon black particle is greater than

about 100 nanometers.

54. (New) The product of claim 12, wherein the chemically bound fullerenes are derived from

functionalized fullerenes.

55. (New) The product of claim 12, wherein the chemically bound fullerenes are derived from dichloromethano[60]fullerene.

56. (New) Fullerenic structures chemically bonded to a surface of a bulk carbon material wherein the area concentration of the fullerenic structures is greater than a value selected from the group consisting of: about 300 molecules per square micron, about 500 molecules per square micron, about 1000 molecules per square micron, about 2000 molecules per square micron, and about 5000 molecules per square micron.

57. (New) The product of claim 56 wherein the chemically bound fullerenic structures are derived from functionalized fullerenes.

58. (New) The product of claim **56** wherein the chemically bound fullerenic structures are derived from dichloromethano [60] fullerene.